

Taking over of Tavarekere-Bevinahalli Road by the Public Works Department.

*Q.—26. Sri T. TARE GOWDA (Sira).—

Will the Government be pleased to state:—

(a) whether it is a fact that the Tumkur District Board roads—(i) from Tavarekere to Bevinahalli, a distance of 11 miles connecting Sira-Changavara P.W.D. road and the Bangalore-Harihara-Hubli Highway in Sira taluk and (ii) Brahmasandra-Badavanahalli road connecting Sira-Madhugiri P.W.D. road and Bangalore-Hubli Highway are proposed to be taken over by the P.W.D. for maintenance;

(b) if so, whether they will pass early orders in the matter?

A.—Sri H. M. CHANNABASAPPA (Minister for Public Works and Electricity).—

(a) and (b) The question of taking over these roads will be taken up for examination while considering proposals for conversion of more roads into State Fund Roads for the whole State.

ಶ್ರೀ ಬಿ. ತಾರೇಗೌಡ.—ಈ ರಸ್ತೆಗಳನ್ನು ಸರ್ಕಾರದವರು ಯಾವಾಗ ಪರಿಶೀಲನೆಗೆ ತೆಗೆದುಕೊಳ್ಳುತ್ತಾರೆ ಎನ್ನುವುದನ್ನು ತಿಳಿಸುತ್ತಾರೆಯೇ?

†Sri M. N. NAGHOOR.—Proposals have been called for from the Chief Engineer and it may take about one or two months to decide the matter.

ಶ್ರೀ ಕೆ. ವಿ. ರೇವಣ್ಣಸಿದ್ದಪ್ಪ.—ಈ ರಸ್ತೆಗಳನ್ನು ತೆಗೆದುಕೊಳ್ಳುವಾಗ ಚೀಫ್ ಇಂಜಿನಿಯರಿಂದ ಒಪ್ಪಿಗೆ ಬಂದರೆ ಅಗ ತೆಗೆದುಕೊಳ್ಳಲಾಗುವುದೇ?

ಶ್ರೀ ಎಚ್. ಎಂ. ಚನ್ನಬಸಪ್ಪ.—ಮಂತ್ರಿಗಳು ಪ್ರವಾಸ ಮಾಡುವಾಗ ಯಾವುದಾದರೂ ರಸ್ತೆ ಇದ್ದು ಅದನ್ನು ವಿಡಬ್ಲ್ಯು.ಡಿ. ರಸ್ತೆಯನ್ನಾಗಿ ಮಾಡಬೇಕೆಂಬ ಸಲಹೆ ಬಂದಾಗ ಅದು ಪೂರೈಸುವಾಗಿದ್ದರೆ ಅಂತಹ ರಸ್ತೆಗಳನ್ನು ತೆಗೆದುಕೊಳ್ಳುವುದರಲ್ಲಿ ಏನೂ ಅಭ್ಯಂತರವಿಲ್ಲ. ಸಾಮಾನ್ಯವಾಗಿ ಎಲ್ಲ ಕಡೆಗಳಿಗೂ ಚೀಫ್ ಇಂಜಿನಿಯರಿಂದ ಹೋಗಿದ್ದೇ ಇದ್ದರೂ ಮಂತ್ರಿಗಳು ಹೋದಾಗ ಇಂತಹ ರಸ್ತೆಗಳು ಮುಖ್ಯವೆಂದು ಅಲ್ಲಿನ ಜನಗಳು ಅರಿತು ಮಾಡುತ್ತಾರೆ ಮತ್ತು ತಮ್ಮಂತಹವರು ತಮ್ಮ ಕ್ಷೇತ್ರಕ್ಕೆ ಮುಖ್ಯವೆಂದೂ ಹೇಳಿರಬಹುದು. ಅವೆಲ್ಲವನ್ನೂ ಗಣನೆಗೆ ತೆಗೆದುಕೊಂಡು ಚೀಫ್ ಇಂಜಿನಿಯರಿಂದ ಸಲಹೆಗಳನ್ನೂ ತೆಗೆದುಕೊಂಡು ಎಲ್ಲವನ್ನೂ ಪರಿಶೀಲಿಸಿ ನಿರ್ಣಯಿಸಲಾಗುತ್ತದೆ.

Increasing the Capacity of Gayatri Reservoir in Hiriya Taluk.

*Q.—29. Sri T. TARE GOWDA (Sira).—

Will the Government be pleased to state:—

(a) whether they have received representations for increasing the capacity of the Gayatri Reservoir Project (Kariyala Tank) in Hiriya Taluk for supplying tank water to the dry lands of Ujjara Kunte and Maranagere in Sira Taluk extending the channel as the said tank has very good supply of water and large catchment area;

(b) whether the ryots of the said village have expressed their desire to have irrigated dry crops like ragi, navane, jola, cotton and groundnut only and not wet paddy crops;

(c) whether it is not a fact that the Government had previously assured that about 1,400 acres in Sira taluk would be brought under the atchcut of the said tank provided they raise only irrigated dry crops;

(d) if so, whether they will take immediate action in the matter and help the villagers?

A.—Sri H. M. CHANNABASAPPA (Minister for Public Works and Electricity).—

(a) Yes.

(b) Yes.

(c) There was no assurance. It was contemplated in the preliminary estimate for the project to irrigate 1,370 acres in Sira taluk.

(d) This will be kept in view when the question of extension of irrigation benefits under the projects is considered.

ಶ್ರೀ ಬಿ. ತಾರೇಗೌಡ.—(ಸಿ) ಗೆ ಉತ್ತರ ಹೇಳಿರುವಂತೆ 1,370 ಎಕರೆಗಳಷ್ಟು ಸಾಗುವಳಿಗೆ ತರಬಹುದು ಎನ್ನುವ ನಂಬಿಕೆ ಉಂಟಾಗುವಂತೆ ಅರ್ಥವಿರುವುದಲ್ಲವೇ?

†Sri M. N. NAGHOOR.—It is not possible.

ಶ್ರೀ ಬಿ. ತಾರೇಗೌಡ.—ಕಾಲುವೆ ತೆಗೆಯುವುದರಲ್ಲಿ ಬರಿಯ ಹಿರಿಯರವರಿಗೆ ತೆಗೆದು ನಿರಾದವರಿಗೆ ಮುಂದುವರಿಸದೇ ಇರುವುದಕ್ಕೆ ಕಾರಣವೇನು?

ಶ್ರೀ ಎಚ್. ಎಂ. ಚನ್ನಬಸಪ್ಪ.—ಯೋಜನೆಯನ್ನು ತಯಾರಿಸುವಾಗಲೂ ಎಲ್ಲವನ್ನೂ ವಿಚಾರಿಸಿ ಯೋಜನೆ ಮಾಡಿರುತ್ತಾರೆ. ಮುಂದೆ ಈ ಯೋಜನೆಯನ್ನು ಮಂಜೂರು ಮಾಡುವಾಗಲೂ ಸಹ ವಿಚಾರವಾಗಿ ಯಾವ